

LogID	LogEntryDate	LogEntryTime	LogEntrySector	LogNotes	TPS	RPM	Battery	
1	05-04-14	58:42.4	0.15384			100	5062.5	13.1994
2	05-04-14	58:42.5	0.25657			100	5125	13.27273
3	05-04-14	58:42.5	0.33302			100	5156.25	13.27273
4	05-04-14	58:42.6	0.41084			100	5218.75	13.27273
5	05-04-14	58:42.7	0.5059			100	5250	13.1994
6	05-04-14	58:42.8	0.58282			100	5281.25	13.27273
7	05-04-14	58:42.9	0.64816			100	5343.75	13.27273
8	05-04-14	58:42.9	0.71285			100	5375	13.27273
9	05-04-14	58:43.0	0.77783			100	5406.25	13.12607
10	05-04-14	58:43.1	0.86788			100	5437.5	13.12607
11	05-04-14	58:43.2	0.94541			100	5500	13.05274
12	05-04-14	58:43.2	1.01085			100	5531.25	13.1994
13	05-04-14	58:43.3	1.09297			100	5562.5	13.12607
14	05-04-14	58:43.4	1.20685			100	5593.75	13.27273
15	05-04-14	58:43.5	1.29685		99.607843	607843	5656.25	13.27273
16	05-04-14	58:43.6	1.399		99.607843	607843	5687.5	13.1994
17	05-04-14	58:43.7	1.47742		99.607843	607843	5750	13.27273
18	05-04-14	58:43.8	1.55693			100	5812.5	13.12607
19	05-04-14	58:43.8	1.63453			100	5812.5	13.1994
20	05-04-14	58:43.9	1.71091			100	5875	13.12607
21	05-04-14	58:44.0	1.79143			100	5906.25	13.27273
22	05-04-14	58:44.1	1.87391			100	5968.75	13.27273
23	05-04-14	58:44.2	1.96289			100	5968.75	13.05274
24	05-04-14	58:44.3	2.04142			100	6031.25	13.12607
25	05-04-14	58:44.3	2.10589			100	6062.5	13.1994
26	05-04-14	58:44.4	2.19552			100	6093.75	13.27273
27	05-04-14	58:44.5	2.27225			100	6125	13.12607
28	05-04-14	58:44.6	2.3379			100	6156.25	13.05274
29	05-04-14	58:44.6	2.40288			100	6187.5	13.27273
30	05-04-14	58:44.7	2.49204			100	6250	13.05274
31	05-04-14	58:44.8	2.57047			100	6250	13.1994
32	05-04-14	58:44.8	2.63566			100	6312.5	13.1994
33	05-04-14	58:44.9	2.69999			100	6312.5	12.97941
34	05-04-14	58:45.0	2.809			100	6343.75	13.12607
35	05-04-14	58:45.1	2.90397			100	6406.25	13.27273
36	05-04-14	58:45.2	2.99202			100	6437.5	13.34606
37	05-04-14	58:45.3	3.05899			100	6468.75	13.05274
38	05-04-14	58:45.3	3.144			100	6500	13.05274
39	05-04-14	58:45.4	3.22773			100	6531.25	13.27273
40	05-04-14	58:45.5	3.30695			100	6562.5	12.97941
41	05-04-14	58:45.6	3.38449			100	6625	13.27273
42	05-04-14	58:45.7	3.46395			100	6625	12.97941
43	05-04-14	58:45.8	3.54156			100	6687.5	13.12607
44	05-04-14	58:45.8	3.60591			100	6718.75	13.1994
45	05-04-14	58:45.9	3.69664			100	6750	12.97941
46	05-04-14	58:46.0	3.76292			100	6750	13.1994

47	05-04-14	58:46.1	3.87305	100	6781.25	12.97941
48	05-04-14	58:46.2	3.98802	100	6843.75	13.1994
49	05-04-14	58:46.3	4.07083	100	6875	13.12607
50	05-04-14	58:46.3	4.13584	100	6906.25	13.12607
51	05-04-14	58:46.4	4.20202	100	6937.5	13.12607
52	05-04-14	58:46.5	4.30204	100	6968.75	13.12607
53	05-04-14	58:46.6	4.37204	100	7000	12.90608
54	05-04-14	58:46.7	4.49705	100	7031.25	13.05274
55	05-04-14	58:46.8	4.57903	100	7062.5	13.12607
56	05-04-14	58:46.9	4.66296	100	7093.75	13.12607
57	05-04-14	58:47.0	4.74087	100	7125	13.12607
58	05-04-14	58:47.0	4.80598	100	7125	13.12607
59	05-04-14	58:47.1	4.87097	100	7156.25	13.05274
60	05-04-14	58:47.2	4.94897	100	7187.5	13.1994
61	05-04-14	58:47.3	5.03857	100	7187.5	13.12607
62	05-04-14	58:47.3	5.10352	100	7250	12.97941
63	05-04-14	58:47.4	5.168	100	7250	12.97941
64	05-04-14	58:47.5	5.24597	100	7281.25	13.1994
65	05-04-14	58:47.5	5.32359	100	7312.5	13.05274
66	05-04-14	58:47.6	5.40002	100	7343.75	12.90608
67	05-04-14	58:47.7	5.47853	100	7343.75	13.1994
68	05-04-14	58:47.8	5.55713	100	7375	12.97941
69	05-04-14	58:47.8	5.63552	100	7406.25	13.05274
70	05-04-14	58:47.9	5.70201	100	7437.5	13.05274
71	05-04-14	58:48.0	5.79257	100	7437.5	13.12607
72	05-04-14	58:48.1	5.85699	100	7468.75	12.97941
73	05-04-14	58:48.2	5.94758	100	7468.75	12.97941
74	05-04-14	58:48.2	6.02405	100	7437.5	13.63938
75	05-04-14	58:48.3	6.10269	100	7656.25	13.78604
76	05-04-14	58:48.4	6.18205	100	7406.25	13.27273
77	05-04-14	58:48.5	6.25957	100	7343.75	13.27273
78	05-04-14	58:48.6	6.33604	99.607843	7531.25	13.9327
79	05-04-14	58:48.6	6.4261	58.039216	7593.75	13.9327
80	05-04-14	58:48.7	6.52803	30.588235	7406.25	13.49272
81	05-04-14	58:48.8	6.64326	26.27451	7375	13.41939
82	05-04-14	58:49.0	6.74607	18.431373	7406.25	13.71271
83	05-04-14	58:49.0	6.82363	14.117647	7406.25	13.78604
84	05-04-14	58:49.1	6.93306	14.117647	7343.75	13.71271
85	05-04-14	58:49.2	7.02336	14.117647	7343.75	13.71271
86	05-04-14	58:49.3	7.11212	13.72549	7312.5	13.78604
87	05-04-14	58:49.4	7.19004	14.117647	7281.25	13.85937
88	05-04-14	58:49.5	7.29207	13.72549	7250	14.00603
89	05-04-14	58:49.6	7.37007	13.72549	7218.75	13.78604
90	05-04-14	58:49.6	7.43704	13.72549	7218.75	14.00603
91	05-04-14	58:49.7	7.50204	13.72549	7218.75	13.78604
92	05-04-14	58:49.8	7.60463	13.72549	7187.5	13.78604
93	05-04-14	58:49.9	7.68207	13.72549	7156.25	13.85937

94	05-04-14	58:50.0	7.74905	13.72549	7156.25	13.9327
95	05-04-14	58:50.0	7.81404	13.72549	7125	13.78604
96	05-04-14	58:50.1	7.9167	13.72549	7093.75	13.78604
97	05-04-14	58:50.2	7.98107	13.72549	7093.75	13.71271
98	05-04-14	58:50.3	8.08614	13.72549	7062.5	13.85937
99	05-04-14	58:50.4	8.17772	13.72549	7062.5	13.56605
100	05-04-14	58:50.5	8.2431	13.72549	7031.25	13.85937

Load1B	KnockSum	JDMMAP	AFRMAP	Load11bit4	ECULoad	LoadMUT2Byte	LoadError
0	4	22.64624	10.6305085	255	159.375	2821.875	19.53125
0	4	22.64624	10.6305085	255	159.375	2821.875	19.53125
0	3	22.83971	10.5707865	255	159.375	2821.25	19.53125
0	3	22.83971	10.5707865	255	159.375	2821.875	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5707865	255	159.375	2821.875	19.53125
0	3	23.03318	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.25	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5117318	255	159.375	2821.875	19.53125
0	3	22.83971	10.5707865	255	159.375	2821.875	19.53125
0	2	22.64624	10.5707865	255	159.375	2821.875	19.375
0	2	22.64624	10.6305085	255	159.375	2821.875	19.375
0	2	22.45277	10.6305085	255	159.375	2821.875	19.375
0	2	22.64624	10.6909091	255	159.375	2821.875	19.53125
0	2	22.64624	10.6909091	255	159.375	2821.875	19.53125
0	7	22.45277	10.6909091	255	159.375	2821.25	19.53125
0	7	22.64624	10.6305085	255	159.375	2821.875	19.53125
0	7	22.83971	10.6305085	255	159.375	2821.875	19.53125
0	7	22.64624	10.6909091	255	159.375	2821.875	19.53125
0	6	22.83971	10.6909091	255	159.375	2821.875	19.53125
0	6	22.83971	10.6909091	255	159.375	2821.875	19.53125
0	6	22.83971	10.6909091	255	159.375	2821.875	19.53125
0	6	22.83971	10.752	255	159.375	2821.875	19.53125
0	6	22.64624	10.752	255	159.375	2821.875	19.53125
0	6	22.64624	10.752	255	159.375	2821.875	19.53125
0	6	22.64624	10.752	255	159.375	2821.25	19.53125
0	6	22.45277	10.8137931	255	159.375	2821.875	19.53125
0	6	22.45277	10.8137931	255	159.375	2821.875	19.53125
0	6	22.2593	10.8137931	255	159.375	2821.875	19.53125
0	5	22.2593	10.8137931	255	159.375	2821.875	19.53125
0	5	22.06583	10.8137931	255	159.375	2821.875	19.53125
0	5	22.06583	10.8137931	255	159.375	2821.875	19.53125
0	5	21.87236	10.8137931	255	159.375	2821.875	19.53125
0	5	22.06583	10.8763006	255	159.375	2821.875	19.53125
0	5	21.67889	10.8137931	255	159.375	2821.875	19.53125
0	5	21.67889	10.8763006	255	159.375	2821.875	19.53125
0	5	21.67889	10.8763006	255	159.375	2821.25	19.53125
0	5	21.67889	10.8763006	255	159.375	2821.875	19.53125
0	5	21.48542	10.8137931	255	159.375	2821.875	19.53125
0	4	21.29195	10.8137931	255	159.375	2821.875	19.53125
0	4	21.29195	10.8137931	255	159.375	2821.875	19.53125
0	4	21.29195	10.8137931	255	159.375	2821.875	19.53125
0	4	21.29195	10.8137931	255	159.375	2821.875	19.53125

0	4	21.09848	10.8137931	255	159.375	2821.25	19.53125
0	4	20.90501	10.8137931	255	159.375	2821.875	19.53125
0	4	20.90501	10.8137931	255	159.375	2821.875	19.53125
0	4	20.90501	10.8137931	255	159.375	2821.875	19.53125
0	4	20.71154	10.8137931	255	159.375	2821.875	19.53125
0	4	20.71154	10.8137931	255	159.375	2821.875	19.53125
0	3	20.51807	10.226087	255	159.375	2821.875	19.53125
0	3	20.51807	10.226087	255	159.375	2821.875	19.53125
0	3	20.3246	10.226087	255	159.375	2821.875	19.53125
0	3	20.3246	10.2819672	255	159.375	2821.25	19.53125
0	3	20.13113	10.2819672	255	159.375	2821.875	19.53125
0	3	20.13113	10.3384615	255	159.375	2821.875	19.53125
0	3	20.13113	10.3384615	255	159.375	2821.875	19.53125
0	3	19.93766	10.3384615	255	159.375	2821.875	19.53125
0	3	19.93766	10.3955801	255	159.375	2821.875	19.53125
0	2	19.93766	10.3955801	255	159.375	2821.875	19.53125
0	2	19.74419	10.3955801	255	159.375	2821.875	19.53125
0	2	19.74419	10.3955801	255	159.375	2821.875	19.53125
0	2	19.74419	10.4533333	255	159.375	2821.875	19.53125
0	2	19.74419	10.4533333	255	159.375	2821.875	19.53125
0	2	19.55072	10.4533333	255	159.375	2821.875	19.53125
0	2	19.55072	10.5117318	255	159.375	2821.875	19.53125
0	2	19.35725	10.5117318	255	159.375	2821.875	19.53125
0	2	19.55072	10.5117318	255	159.375	2821.875	19.53125
0	2	19.35725	10.5117318	255	159.375	2821.875	19.53125
0	2	19.35725	10.5117318	255	159.375	2821.25	19.53125
0	1	19.16378	10.5117318	255	159.375	2821.875	19.53125
0	1	19.16378	10.4533333	255	159.375	2821.875	19.53125
0	1	18.77684	10.5117318	255	159.375	2821.875	19.53125
0	6	16.4552	10.5707865	255	159.375	2821.875	19.53125
0	12	15.29438	10.3955801	255	159.375	2821.875	19.53125
0	12	15.29438	10.5707865	255	157.5	2821.875	5.3125
0	12	11.23151	11.6869565	116	71.875	2821.875	-7.34375
0	5	-2.31139	11.1337278	133	52.5	2821.25	-9.375
0	0	-7.72855	13.8352941	65	38.125	2821.875	-12.5
0	0	-10.43713	14.1473684	35	18.75	2821.875	-14.6875
0	0	-11.21101	13.9377778	49	30.625	2821.875	-14.6875
0	0	-11.59795	14.1473684	37	22.5	2821.875	-14.6875
0	0	-11.98489	14.1473684	34	21.25	2821.875	-14.6875
0	0	-11.98489	14.1473684	32	20	2821.875	-14.84375
0	0	-12.17836	14.1473684	30	18.75	2821.25	-14.84375
0	0	-12.17836	14.1473684	29	18.125	2821.875	-14.84375
0	0	-12.37183	14.1473684	28	17.5	2821.875	-14.84375
0	0	-12.37183	14.1473684	27	16.875	2821.875	-14.84375
0	0	-12.5653	14.1473684	26	16.25	2821.875	-14.84375
0	0	-12.5653	14.1473684	25	15.625	2821.875	-14.84375
0	0	-12.5653	14.1473684	24	15	2821.875	-14.84375

0	0	-12.5653	14.1473684	24	15	2821.875	-14.84375
0	0	-12.5653	14.1473684	24	15	2821.875	-14.84375
0	0	-12.75877	14.1473684	24	15	2821.875	-14.84375
0	0	-12.75877	14.1473684	25	15.625	2821.875	-14.84375
0	0	-12.95224	14.1473684	24	15	2821.25	-14.84375
0	0	-12.75877	14.1473684	24	15	2821.875	-14.84375
0	0	-12.75877	14.1473684	25	15.625	2821.875	-14.84375

KnockVoltage

1.872
0.7215
1.3065
1.5015
1.443
0.624
0.9165
1.638
0.936
0.858
1.638
1.404
0.8775
1.482
1.599
1.053
0.936
1.7745
1.4235
0.897
1.404
1.326
1.911
1.17
2.145
0.975
2.0475
0.897
1.8135
0.9165
1.248
1.287
1.404
1.482
1.3845
0.819
0.975
1.209
1.6575
1.1115
1.209
1.4625
1.2285
1.287
1.1115
1.4625

1.8135
1.053
1.872
1.3065
0.663
0.8385
1.2675
1.5795
1.5405
1.1115
1.2285
1.1505
2.184
1.9695
1.521
1.8915
1.3065
1.287
1.2675
1.4235
1.716
1.7355
2.0085
1.4235
1.4625
1.833
1.5405
1.599
2.067
0.9555
1.1505
1.6185
1.287
1.716
1.1505
0.9555
1.7355
1.053
1.248
1.7355
1.2285
1.1505
0.7215
0.78
0.702
0.7605
1.1505

1.287
1.443
0.9555
1.17
1.014
0.585
0.8775